


<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE		PAGE OF PAGES 1/2		
2. AMENDMENT/MODIFICATION NO. 001		3. EFFECTIVE DATE September 13, 2013		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)	
6. ISSUED BY Contracting Officer Department of State American Embassy Islamabad		CODE GSO		7. ADMINISTERED BY (If other than Item 6) CODE			
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)  Offerors				9a. AMENDMENT OF SOLICITATION NO. SPK330-13-Q-5697			
				X 9b. DATED (SEE ITEM 11) September 03, 2013			
				10a. MODIFICATION OF CONTRACT/ORDER NO.			
				10b. DATED (SEE ITEM 13)			
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>							
<p>[x] The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers [ ] is extended, [ X] is not extended</p> <p>Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers.</p> <p><b>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.</b> If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
<b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor [X] is not, [ ] is required to sign this document and return _____ copies to the issuing office.							
<p>14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)</p> <p>The purpose of this amendment is to revise the Statement of Work (SOW) in order to amend the existing items and add new items. Solicitation is amended as follows:</p> <p>(1) Attachment # 3 "Scope of Work (SOW)" clauses # 3.6 (page#23) total area is revised to 16'x14'x1, 14'x10'x1.</p> <p>(2) Sub clause 3.11 is revised to add "Provide and install floor tiles Italian/Spanish size 18"x18" of approved color over 4" thick concrete including mesh, joint filler etc. The tiles shall installed be in right angle, square, gradually leveled towards drain and clean. Provide 4" high base/skirting of same type of tiles"</p> <p>Note: Replace page#23 with attached page.</p>							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME OF CONTRACTING OFFICER Mike M. Pitts			
15B. NAME OF CONTRACTOR/OFFEROR  BY _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)		16C. DATE SIGNED 9/13/13	

SF30

Amendment 001 - Solicitation # SPK330-13-Q-5697 – Kitchen renovation of a residence located in F-6/3, Islamabad.



## **ADDENDUM/CHANGES TO THE SCOPE OF WORK.**

### **ATTACHMENT # 3**

#### **SCOPE OF WORK** **KITCHEN REPAIRS** **Sector, F-6/3, Islamabad**

#### **1.0 BACKGROUND AND PURPOSE:**

The US Embassy Islamabad wants to renovate existing kitchen of the Government Owned residence located in F-6/3, Islamabad. The building structure consists of brick masonry walls and reinforced concrete roof slab.

#### **2.0 GENERAL REQUIREMENTS:**

The contractor shall be required to prepare reports, bill of materials, catalog cuts, schedules and cost estimates. These documents shall provide the necessary interfaces, coordination, and communication among the Embassy, and the contractor.

#### **3.0 SCOPE OF SERVICES:**

- 3.1. The contractor shall provide labor, material, equipments and supervision to complete the technical requirements in this statement of work.
- 3.2. The work consists of, but is not limited to, the following:
- 3.3. Renovate complete kitchen of the residence.
- 3.4. Remove old cabinets, sinks and all accessories.
- 3.5. Remove plumbing system (water, drainage and gas).
- 3.6. Provide and install kitchen cabinets. Main kitchen design will be cherry or Vogue design in PVC. Provide separate quote for each system. Submit color scheme for approval. The size of the kitchen is 16'x14'x1, 14'x10'x1.
- 3.7. Provide moveable Island with granite top.
- 3.8. Provide and install two double bowl sinks with tap mixer manufacture by BLANCO or as approved by COR.
- 3.9. Provide exhaust hood stainless steel finish manufactured by ELICA Italy or approved equal, duct work and electric connection. Provide and install stainless steel sheet 1/8" nonmagnetic behind the stove. Size 4'x6'
- 3.10. Provide granite top on base cabinets and island.
- 3.11. Provide and install wall tiles (Spanish or Sadabdulla) between base cabinet and wall hanging cabinets. Provide and install floor tiles Italian/Spanish size 18"x18" of approved color over 4" thick concrete including mesh, joint filler etc. The tiles shall installed be in right angle, square, gradually leveled towards drain and clean. Provide 4" high base/skirting of same type of tiles.
- 3.12. Provide all accessories such as cabinet footing, multi angle joints, plinth, pull up accessories, hinges (soft closing), handles etc. all should be International standard. Submit samples for approval.